





FR Cotton Welding Jackets

by Black Stallion®

BETTER PROTECTION For Light Welding Applications



F9-30C

Fabric conforms to ASTM D6413 flame resistance and washable test methods. To pass ASTM D6413, a sample of fabric must self-extinguish with less than 2 second after flame and less than 6" char length. Applies to an initial sample and after 25 commercial wash cycles.



FLAME RESISTANT COTTON

Flame-Resistant Cotton Welding Jacket

With more features and superior quality, our 9 oz. FR cotton welding jacket provides better protection for light welding applications. Tested to maintain protection through 50 home washings. 30" length.

F9-30C	S-6XL	Green
F09-30C	S-5XL	Safety Orange
FL9-30C	S-5XL	Safety Lime
FN9-30C	S-5XL	Navy
FR9-30C	S-5XL	Red
FBK9-30C	S-5XL	Black

Also Available:

F9-36C	S-4XL	Green (36" length)
F9-42C	S-4XL	Green (42" length)
F9-50C	S-4XL	Green (50" length)
FN9-42C	S-4XL	Navy (42" length)
F2-30C	S-5XL	Green (12 oz.; 30" length)
F2-36C	S-4XL	Green (12 oz.; 36" length)
FB2-30C	S-4XL	Brown (12 oz.; 30" length)



F09-30C

FL9-30C

FN9-30C

FR9-30C

FBK9-30C

Flame-Resistant Cotton (9 oz. or 12 oz.) is recommended for light to moderate welding applications, including most MIG and TIG welding. For welding that involves more intense sparks and heat generation (flux core, stick welding, etc.), leather is the recommended protective material. Flame-resistant garments may not perform properly if soiled or tattered. Keep properly cleaned to maintain flame-resistant properties. Follow care labels attached to garment.